UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/588,837	08/08/2006	Hitoshi Asahi	52433/859	4507
26646 KENYON & K	7590 09/09/200 ENYON LLP	9	EXAM	IINER
ONE BROADWAY		VELASQUEZ, VANESSA T		
NEW YORK, N	NY 10004		ART UNIT	PAPER NUMBER
			1793	
			MAIL DATE	DELIVERY MODE
			09/09/2009	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

		Applica	ation No.	Applicant(s)	
Office Action Summary		10/588	,837	ASAHI ET AL.	
		Examir	er	Art Unit	
		Vaness	a Velasquez	1793	
Period fo	- The MAILING DATE of this commun r Reply	ication appears on	the cover sheet with the	correspondence a	ddress
A SHO WHIC - Exten after 9 - If NO - Failur Any re	DRTENED STATUTORY PERIOD F HEVER IS LONGER, FROM THE M sions of time may be available under the provisions SIX (6) MONTHS from the mailing date of this comr period for reply is specified above, the maximum sl e to reply within the set or extended period for reply sply received by the Office later than three months. d patent term adjustment. See 37 CFR 1.704(b).	IAILING DATE OF of 37 CFR 1.136(a). In no nunication. atutory period will apply and will, by statute, cause the a	THIS COMMUNICATION event, however, may a reply be divill expire SIX (6) MONTHS from application to become ABANDO	ON. timely filed om the mailing date of this NED (35 U.S.C. § 133).	
Status					
2a)⊠ 3)□	Responsive to communication(s) file This action is FINAL . Since this application is in condition closed in accordance with the pract	2b)⊡ This action is for allowance exce	pt for formal matters, p		e merits is
Disposition	on of Claims				
5)□ 6)⊠ 7)□ 8)□ Applicatio 9)□ 1	Claim(s) 7-12 is/are pending in the ala) Of the above claim(s) is/a Claim(s) is/are allowed. Claim(s) 7-12 is/are rejected. Claim(s) is/are objected to. Claim(s) are subject to restriction Claim(s) are subject to by the	re withdrawn from control of the con	n requirement.		
	The drawing(s) filed on <u>08 August 20</u> Applicant may not request that any obje Replacement drawing sheet(s) including The oath or declaration is objected to	ction to the drawing(s	s) be held in abeyance. Soluring if the drawing(s) is a	See 37 CFR 1.85(a). Objected to. See 37 C	FR 1.121(d).
Priority u	nder 35 U.S.C. § 119				
a)[2	Acknowledgment is made of a claim All b) Some * c) None of: 1. Certified copies of the priority 2. Certified copies of the priority 3. Copies of the certified copies application from the Internationsee the attached detailed Office actions	documents have b documents have b of the priority docu onal Bureau (PCT F	een received. een received in Applica ments have been rece kule 17.2(a)).	ation No ived in this Nationa	l Stage
2) Notice 3) Inform	(s) e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (Fation Disclosure Statement(s) (PTO/SB/08) No(s)/Mail Date	PTO-948)	4) Interview Summa Paper No(s)/Mail 5) Notice of Informa 6) Other:		

DETAILED ACTION

Status of Claims

Claims 1-6 and 13-17 are canceled. Currently, claims 7-12 are pending and presented for examination on the merits.

Claim Rejections - 35 USC § 103

- 1. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.
- 2. Claims 7-12 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kashima et al. (JP 10-176239, English abstract and machine translation) in view of Bates et al. ("Quenching of Steel," Vol. 4, ASM Handbooks Online).

Regarding claim 7, Kashima et al. teach a steel sheet (plate) comprising a two-phase microstructure of martensite and ferrite (abstract). The martensitic phase (maximum 20%) is embedded in the main ferritic phase (the balance) (para. [0024]), and the size of the martensitic grains is on the order of microns (para. [0025]), making the martensite relatively fine in size. The small decrease in the yield strength of the steel after formation into a tube (pipe) signifies a reduced Bauschinger effect (para. [0005], [0024]). The steel sheet of Kashima et al. is to be utilized for manufacturing tubes (pipes) (abstract, para. [0006]).

Art Unit: 1793

Further regarding claim 7, Kashima et al. do not explicitly teach that the martensitic grains reside at the ferrite grain boundaries. However, it has been well established that "[w]here the claimed and prior art products are identical or are substantially identical in structure or composition, or are produced by identical or substantially identical processes, a prima facie case of either anticipation or obviousness has been established" (MPEP § 2112.01). Additionally, it follows that if identical or substantially identical products are manufactured in an identical or substantially identical method, then both products would be expected to inherently possess the same properties. In the present case, the steel sheet of the prior art has an overlapping microstructure type (as described in the preceding paragraph), a substantially similar chemical composition (see subsequent paragraphs discussing claims 10 and 11), and is manufactured by a method substantially similar to that disclosed in the specification of the present application. The present application states that the steel plate is hot rolled at 1200°C, finished at 850°C, water cooled, and coiled at 600°C (page 18, lines 11-20). This may be compared to the similar method of Kashima et al., where it is taught that the steel sheet is hot-rolled at 1000-1300°C, finished at 750-950°C, cooled at a cooling rate of 10-50°C/s, and coiled at 480-600°C (abstract; para. [0027]-[0030]). Kashima et al. does not specify the type of quenching medium used to obtain the cooling rate; however, as demonstrated by Bates et al., it is well known to one of ordinary skill in the art that water is a convenient and pollution-free means to quench steel and that it is capable of creating cooling rates within the range taught by Kashima et al. (Bates et al., page 1-5 of 49, Fig. 42(b), Fig. 43). Therefore,

Art Unit: 1793

one of ordinary skill in the art would expect the martensitic grains to lie at the grain boundary of the ferrite grains in the prior art since the chemical composition, type of microstructure, and manufacturing techniques are substantially the same in Kashima et al. as they are with the claimed invention.

With regard to the heating and quenching steps appended to the claim, the steps render the claim a product-by-process claim. It is noted that

"even though product-by-process claims are limited by and defined by the process, determination of patentability is based on the product itself. The patentability of a product does not depend on its method of production. If the product in the product-by-process claim is the same as or obvious from a product of the prior art, the claim is unpatentable even though the prior product was made by a different process." (underlining added)

In re Thorpe, 777 F.2d 695, 698, 227 USPQ 964, 966 (Fed. Cir. 1985) (citations omitted) (also see MPEP § 2113)

Absent evidence demonstrating that the claimed product is actually different from that of the prior art, the process steps in the product claim will not be accorded patentable weight.

Regarding claim 8, the martensitic grains have an average size of 10 microns or less (para. [0025]) and are present in amount of 1-20 area % (para. [0024]), which overlap the claimed range. The overlap between the range taught by the prior art and the claimed range creates a *prima facie* case of obviousness (MPEP § 2144.05).

Regarding claim 10, Kashima et al. teach that the steel sheet comprises the following elements, in percent by weight (abstract):

Element	Claims 4 and 10	Kashima et al.
;	0.03 - 0.30	0.02 - 0.12

Application/Control Number: 10/588,837

Art Unit: 1793

Si	0.01 - 0.8	0.1 - 1.5
Mn	0.3 - 2.5	0 - 2.0
Р	0 - 0.03	0 - 0.05
S	0 - 0.01	0 - 0.01
Al	0.001 - 0.1	0.01 - 0.10
N	0 - 0.01	Not taught
Fe & impurities	balance	balance

The overlap between the ranges taught by the prior art and the claimed ranges creates a *prima facie* case of obviousness because both the prior art and the claims are drawn to steel sheets for use in pipes exhibiting a minimized Bauschinger effect (MPEP § 2144.05).

With regard to the nitrogen content, Kashima et al. do not teach the presence of nitrogen; therefore, nitrogen will be regarded as being absent (i.e., zero percent by weight) in the steel sheet. Zero percent lies within the claimed range and thus still reads on the claimed invention.

Regarding claim 11, Kashima et al. teach that the steel sheet may optionally further contain the following elements, in percent by weight (abstract, para. [0009]):

Element	Claims 5 and 11	Kashima et al.
Nb	0 - 0.1	0 - 0.08
V	0 - 0.3	0 - 0.08
Мо	0 - 0.5	0.1 - 1.5 (Mo+Cr)
Ti	0 - 0.1	0 - 0.08
Cr	0 - 1.0	0.1 - 1.5 (Mo+Cr)
Ni	0 - 1.0	0 - 1.0
Cu	0 - 1.0	0 - 1.0
В	0 - 0.003	Not taught
Ca	0 - 0.004	0 - 0.005

With regard to the boron content, Kashima et al. do not teach the presence of boron; therefore, boron will be regarded as being absent (i.e., zero percent by weight) in the

Art Unit: 1793

steel sheet. Zero percent lies within the claimed range and thus still reads on the claimed invention.

Regarding claims 9 and 12, Kashima et al. do not expressly teach that ratio of the proportional limit of the compression stress-strain curve in the circumferential direction before and after expansion of the steel pipe is 0.7 or more. Kashima et al. also do not expressly teach that the Charpy V-notch value in the transverse direction at - 20°C is at least 40 J. However, these properties would be expected to be inherent to the alloy of the prior art for the same reasons described in pages 3 and 4 of this Office action (i.e., substantially identical materials are manufactured by substantially similar methods and would therefore be expected to possess the same properties).

Response to Arguments

3. Applicant's arguments filed May 18, 2009 have been fully considered but they are not persuasive.

Applicant argues that Kashima et al. do not teach heating and quenching steps after the pipe is formed and that these steps would result in a different microstructure. In response, the claim is directed to a product, not a process. As stated in MPEP § 2113,

"even though product-by-process claims are limited by and defined by the process, determination of patentability is based on the product itself. The patentability of a product does not depend on its method of production. If the product in the product-by-process claim is the same as or obvious from a product of the prior art, the claim is unpatentable even though the prior product was made by a different process." (underlining added)

Art Unit: 1793

In re Thorpe, 777 F.2d 695, 698, 227 USPQ 964, 966 (Fed.

Cir. 1985) (citations omitted)

In the present instance, the product limitations have been taught by the prior art (see paragraph 2 of this Office action). Therefore, burden shifts to Applicant to show that the product of the prior is actually different from that of the product-by-process claimed invention (MPEP § 2113).

Applicant asserts that the high heating temperature (1000-1300°C) of Kashima et al. would result in ferrite residing at the grain boundaries of the martensite, not vice versa as claimed. Applicant further asserts that the cooling of Kashima et al. would result in the formation of cementite, which would negatively influence a reduced Bauschinger effect. In response to both assertions, Applicant has not provided objective evidence of the asserted phenomenon. Pure remarks cannot replace actual proof where proof is needed (MPEP § 716.01(c)(I)-(II)). It is noted that even if the grain boundary phenomenon described by Applicant were to occur in the alloy of Kashima et al., a configuration of ferrite dispersed at martensitic grain boundaries is essentially the same configuration as martensite residing at ferrite grain boundaries because both phases share and lie at each other's grain boundary. Therefore, the prior art would still read on the claimed invention.

Conclusion

4. No claims are allowable. Applicant's amendment necessitated the new grounds of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE**

Art Unit: 1793

FINAL. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Vanessa Velasquez whose telephone number is 571-270-3587. The examiner can normally be reached on Monday-Friday 9:00 AM-6:00 PM ET.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Roy King, can be reached at 571-272-1244. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 1793

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Roy King/ Supervisory Patent Examiner, Art Unit 1793

/Vanessa Velasquez/ Examiner, Art Unit 1793